

BROKERAGE

Fantasi 44 Pilot House #20, 'Vindöga'

SPECIFICATIONS

LOA	13,72 m	45' 0"
LOD	14,12 m	46' 4"
LWL	11,82 m	38' 9"
BEAM	4,04 m	13' 3"
DRAFT	2,17 m	7'1"
DISPLACEMENT	14000 kgs	30,000 lbs.
BALLAST	4400 kgs	9,700 lbs.
SAIL AREA	108 sq.m.	1,160 sq.ft.
BRIDGE CLEARANCE	19 m	62' 4"

BUILDER

Fantasi Yachts / Jacobssons Båtbyggeri, Sweden

BUILT YEAR

2004 - 2005, delivered 2005

CE CATEGORY

"A", Ocean

HULL NUMBER / SAIL NUMBER SE - JAC F44 20 F 4 04

Sail # 20

HULL AND DECK

Hand laid-up using multi-directional rovings and isophthalic polyester on a Divinycell core, keel area heavy single-skin laminate, grid of floors and girders in hull bottom, stringers in

HEYMAN YACHTS AB

Nya Varvet 85D SE-426 71 V Frolunda, Sweden

+ 46 31 690 003 + 46 707 790 003 www.heymanyachts.com info@heymanyachtdesign.com

VAT No. SE556683-494001

hull sides forward, all bulkheads laminated to hull and deck from both sides, hull-deck joint laminated from inside and outside, subsequently filled.

ENGINE

Yanmar 4JH3-TE, 68 hp / 51 kW / 3700 rpm Engine hours 987 per September 23, 2016

PROPELLER AND SHAFT

Vetus fixed 4-blade prop Aquadrive CV shaft coupling

ON DECK

All glued 12 mm teak decks (no screws or bungs) in excellent shape, without apparent wear Bruce stainless steel anchor, chain Lewmar stainless anchor windlass with capstan Bruce type stainless stern kedge anchor Stern Lewmar windlass Folding stainless anchor 'bumkin', custom made, to keep the stern anchor off the transom Deck lights under overhanging roof and under boom Custom made stainless boarding ladder for bow platform

RIG AND SAILING EQUIPMENT

Selden rig, in-mast furling
Selden Furlex roller furling
Andersen Stainless steel winches;
powered primaries for jib sheet
powered winch for main halyard, main sheet and reefing
Selden spinnaker boom, stows on mast
Selden rigid boom vang, backstay tensioner etc.

SAILS

Mainsail 52,4 m², in-mast furling with standing battens and full roach Genoa 66,0 m² Self-tacking Jib, 40,5 m² Gennaker 113 m² with stocking for easy handling All built by Lundh Sails, Sweden, overhauled in 2013 and said to be in good shape

STEERING

Lewmar binnacle with Lewmar Cobra rack & pinion steering Jefa solid rudder stock and emergency tiller Raymarine autopilot with direct drive on rudder stock Suunto compass Engine control and Autopilot doubled at inside steering position

ELECTRONICS Raymarine ST 60 wind, speed, depth Raymarine Auto Pilot Raymarine Plotter on binnacle GPS antennas from True Heading AlS receiver + transmitter 2nd Raymarine Plotter and ST60 Multi-display at inside steering position Charts for Scandinavia and Baltic VHF at inside steering position Navtex

ELECTRICAL

12 / 24 V electrical system with DC / DC converter 440 Ah batteries / 24 V (corresponding to 880 Ah / 12 V) will be replaced for 2017 season Mastervolt Whisper genset model 8, little used Main engine believed to have extra 135 A alternator DC / AC inverter, 12 / 24 to 230 V Charger 230 to 12 / 24 V

GALLEY

Force 10 3-burner stove with oven Top-opening fridge, sea water cooling Front-opening fridge, Isotherm Top-opening freezer, sea water cooling Microwave oven Additional pumps for sea water and fresh water

CLIMATE & COMFORT

Eberspächer diesel heating with radiators in all areas Heating fans with high setting in bathrooms Custom made Ocean Air blinds in pilot house Blinds for all ports and built-in for deck hatches Mattresses with custom made mattress pads and sheets

TANKS AND PLUMBING

2x water tanks approx. 500 l + hot water tank capacity 60 l 3x diesel tanks approx. 640 l Holding tanks for forward and aft heads, 50 l each Showers in both bathrooms

ADDITIONAL EQUIPMENT

Dodger & misc. canvas Inflatable dinghy, Zodiac 8 hp Yamaha outboard Dedicated davit for outboard hoisting Life raft, hard shell TV, Radio/CD in main cabin / forward cabin / cockpit speaker system Miscellaneous safety equipment

/ October, 2016